

SteriCoat™ Durable Arcylic Matt WB20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Issue date: 8/29/2020 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : SteriCoat™ Durable Acrylic Matt
Product form : Mixture
Trade name : Durable Acrylic Matt WB20
Product Identity : Hygiene paint
Product identity : 4033560 - CLP 17

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Hygienic paint application by brush, roller or spray..
Use in buildings or building externals where opportunity for exposure arises.
Industrial /professional application
PC9a: Coatings and paints, thinners, paint removers.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Company details : Chem X Ltd
Godfrey Suite, St Margarets, Leeds Old Road, Bradford, West Yorkshire, BD3 8JXB
United Kingdom
Phone- Number: + 44 (0) 333 3355499
e-mail: info@chem-x.uk

1.4. Emergency telephone number

Emergency number : + 44 (0) 333 3355499
Only available during office hours.
9:00 - 17:00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 1	H410
Not hazardous according to these regulations	

Adverse physicochemical, human health and environmental effects

No data available.

SteriCoat™ Durable Arcylic Matt WB20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07



GHS09

Signal word : Warning

Hazard statements : None: H315 – Causes skin irritation.
H319 – Causes serious eye irritation
H410 – Very toxic to aquatic life with long lasting effects.

Precautionary statements :

P233 - Keep container tightly closed
P261 - Avoid breathing dust, fumes, gas, mist, vapours or spray.
P264 – Wash hands, forearms and face thoroughly after handling
P273 – Avoid release to the environment.
P280- Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 – IF ON SKIN: Wash with plenty of water.
P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 – Specific treatment (see supplemental first aid instruction on this label.)
P332+P313 – If skin irritation occurs: Get medical advice/attention
P337+P313 – If eye irritation persists: Get medical advice/attention
P362+P364 – Take off contaminated clothing and wash it before reuse.
P391 – Collect spillage
P501 – Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

General : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. Do not get in eyes, on skin, or on clothing. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazardous ingredients : Not applicable.

Supplemental label elements : Contains 1,2-benzisothiazol-3(2H)-one and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

SteriCoat™ Durable Arcylic Matt WB20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

Other hazards which do not result in classification : None known.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures			
Name	Product identifier	%	Regulation (EC) No. 1272/2008 [CLP]
REACTION MASS SILVER CHLORIDE WITH TITANIUM DIOXIDE		10-20	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Docusate sodium	(CAS-No.) 577-11-7 (EC-No.) 209-406-4	5-10	Skin Irrit. 2, H315 Eye Dam. 1, H318
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6	1-3	Flam. Liq. 3, H226

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Move to fresh air. If experiencing respiratory symptoms seek medical advice/attention.
First-aid measures after skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners. If skin irritation occurs: Consult a doctor/medical service.
First-aid measures after eye contact	: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. In all cases of doubt, or when symptoms persist, seek medical attention.
First-aid measures after ingestion	: If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do not induce vomiting unless directed to do so by medical personnel. Lower the head so that vomit will not re-enter the mouth and throat.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Irritation
Symptoms/effects after eye contact	: Eye irritation. There may be irritation and redness.
Symptoms/effects after Ingestion	: No known significant effects or critical hazards.
Symptoms/effects after Inhalation	: No known significant effects or critical hazards.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SteriCoat™ Durable Arcylic Matt WB20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Extinguishing media : Use extinguishing media appropriate for surrounding fire. Alcohol resistant foam, carbon dioxide (CO₂), powder, water spray.
- Not to be used : Waterjet

5.2. Special hazards arising from the substance or mixture

- Hazards from the substance or mixture : In a fire or if heated, a pressure increase will occur and the container may burst.
- Hazardous combustion products : Decomposition products may include the following materials: carbon oxides metal oxide/oxides

5.3. Advice for firefighters

- Firefighting instructions : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. Cool closed containers exposed to fire with water. Do not release runoff from fire to drains or watercourses. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Exclude sources of ignition and ventilate the area. Floors may become slippery. Refer to protective measures listed in sections 7 and 8. No action shall be taken involving any personal risk or without suitable training.

6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

- Protective equipment : In case of fire: Wear self-contained breathing apparatus. Wear suitable protective clothing. Wear recommended personal protective equipment. Refer to section 8.

6.2. Environmental precautions

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3. Methods and material for containment and cleaning up

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13).

6.4. Reference to other sections

See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information. SECTION 7: Handling and storage.

SteriCoat™ Durable Arcylic Matt WB20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.1. Precautions for safe handling

Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Store in accordance with local regulations. Store in a cool, well-ventilated area away from incompatible materials and ignition sources. Storage : Do not store below the following temperature: 5 °C See separate Product Data Sheet for recommendations or industrial sector specific solutions. SECTION 7: Handling and storage Never use pressure to empty; the container is not a pressure vessel. Always keep in the same material as the supply container. Good housekeeping standards and regular safe removal of waste materials will minimise risks of spontaneous combustion and other fire hazards. The Manual Handling Operations Regulations may apply to the handling of containers of this product. Packs with a volume content of 5 litres or more may be marked with a maximum gross weight. To assist employers the following method of calculating the weight for any pack size is given. Take the pack size volume in litres and multiply this figure by the specific gravity (relative density) value given in section 9. This will give the net weight of the coating in kilograms. Allowance will then have to be made for the immediate packaging to give an approximate gross weight.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in accordance with local regulations. Store in a cool, well-ventilated area away from incompatible materials and ignition sources.
Storage temperature : Do not store below the following temperature: 5 °C

7.3. Specific end use(s)

See separate Product Data Sheet for recommendations or industrial sector specific solutions.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits

Contains no substances with occupational exposure limit values.

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Derived effect levels

No DELs available.

Predicted effect concentrations

No PECs available.

DNEL/ PNEC Values

Hazardous ingredients:

None present

TYPE	EXPOSURE	VALUE	POPULATION	EFFECT

SteriCoat™ Durable Arcylic Matt WB20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2. Exposure controls

Appropriate engineering controls:

All engineering control measures used to control exposure to hazardous substances must be selected, maintained, examined and tested to meet the requirements of the Control Of Substances Hazardous to Health regulations (COSHH). Similarly all personal protective equipment, including respiratory protective equipment, must be selected, issued and maintained to meet the requirements of COSHH.

These requirements include the provision of any necessary information, instruction and training with regard to their use. Special precautions should be taken during surface preparation of pre-1960's paint surfaces over wood and metal as they may contain harmful lead.

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of solvent vapour below the relevant workplace exposure limits, suitable respiratory protection should be worn. (See personal protection below). Dry sanding, flame cutting and/ or welding of the dry paint film will give rise to dust and/ or hazardous fumes. Wet sanding should be used wherever possible. If exposure cannot be avoided by the provision of local exhaust ventilation, suitable respiratory protective equipment should be worn.

Personal protective equipment:

Gloves. Skin protection, Protective clothing. Respiratory protection not required. Safety glasses.

Materials for protective clothing:

Long sleeved anti static protective clothing, made of natural fibre or high temperature resistant synthetic material.

Hand protection:

Wear chemical-resistant gloves (tested to EN374) in combination with 'basic' employee training. The quality of the chemical-resistant protective gloves must be chosen as a function of the specific workplace concentrations and quantity of hazardous substances. Since the actual work situation is unknown. Supplier of gloves should be contacted in order to find the appropriate type. Below listed glove(s) should be regarded as generic advice: Recommended: Silver Shield / Barrier / 4H gloves, nitrile rubber, neoprene rubber, butyl rubber, natural rubber (latex), polyvinyl alcohol (PVA), polyvinyl chloride (PVC), Viton®

Eye protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Safety glasses. EN 166

Skin and body protection:

Lightweight anti static protective clothing. The use of barrier creams may help to protect exposed areas but should be applied before exposure can occur.

Respiratory protection.

Respiratory protection not required.

Personal protective equipment symbol(s):



Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke during use. Wash hands and face before breaks and immediately after handling of the product. Remove contaminated clothes.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: White and other Colours
Odour	: Non-characteristic
Odour threshold	: No data available

SteriCoat™ Durable Arcylic Matt WB20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

pH	: 7 - 9
Relative evaporation rate (butylacetate=1)	: Testing not relevant or not possible due to nature of the product.
Melting point	: 0°C This is based on data for the following ingredient: water
Freezing point	: No data available
Boiling point	: Testing not relevant or not possible due to nature of the product.
Flash point	: Non-flammable.
Auto-ignition temperature	: Testing not relevant or not possible due to nature of the product.
Decomposition temperature	: Testing not relevant or not possible due to nature of the product.
Flammability (solid, gas)	: Non-flammable.
Vapour pressure	: 3.17 kPa This is based on data for the following ingredient: water
Relative vapour density at 20 °C	: No data available
Relative density	: 1.32 g/cm ³
Explosive limits	: No specific data.
Solubility	: Easily soluble in the following materials: cold water and hot water.
Partition coefficient n-octanol/water (Log Pow)	: Testing not relevant or not possible due to nature of the product.
Viscosity, kinematic	: Kinematic (40°C): 1.9 cm ² /s
Viscosity, dynamic	: 3000-4000mPa*S
Explosive properties	: Not considered to be explosive.
Oxidising properties	: No data available

9.2. Other information

Solvent(s) % by weight	: Weighted average: 0 %
Water % by weight	: Weighted average: 49 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2. Chemical stability

The product is stable.

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4. Conditions to avoid

No specific data.

10.5. Incompatible materials

No specific data.

10.6. Hazardous decomposition products

When exposed to high temperatures (i.e. in case of fire) harmful decomposition products may be formed: Decomposition products may include the following materials: carbon oxides metal oxide/oxides

SECTION 11: Toxicological information

11.1. Information on toxicological effects

The product has been assessed following the conventional method and is classified for toxicological hazards accordingly. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short term and long term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin. If splashed in the eyes, the liquid may cause irritation and reversible damage.

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
LD50 oral rat	: >5000mg/kg

SteriCoat™ Durable Arcylic Matt WB20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 dermal rat	: 5000mg/kg
Skin corrosion/irritation	: Causes skin irritation. pH: 5-7
Eye damage/irritation	: Causes serious eye irritation. pH: 5-7
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	1403.122mm ² /s

SECTION 12: Ecological information

12.1. Toxicity

Do not allow to enter drains or watercourses.

Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Very toxic to aquatic life with long lasting effects.
LC50 fish 1	0.5mg/l
EC50 other aquatic organisms 1	0.074 mg/l

12.2. Persistence and degradability

Persistence and degradability	Product is not easily biodegradable.
-------------------------------	--------------------------------------

12.3. Bioaccumulative potential

No known data available in our database.

12.4. Mobility in soil

Ecology - soil	Avoid undiluted product to come into drains, sewer or water courses.
----------------	--

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No known significant effects or critical hazards.

SteriCoat™ Durable Arcylic Matt WB20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The generation of waste should be avoided or minimised wherever possible. Residues of the product is listed as hazardous waste. Dispose of according to all state and local applicable regulations. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.






European waste catalogue (EWC) : 08 01 12

Packaging

Used containers, drained and/ or rigorously scraped out and containing dried residues of the supplied coating, are categorised as nonhazardous waste, with EWC code: 15 01 02 or 15 01 04. If mixed with other wastes, the above waste code may not be applicable. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN3082	UN3082	UN3082	UN3082	UN3082
14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hazard inducer – Silver Chloride)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hazard inducer – Silver Chloride)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hazard inducer – Silver Chloride)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hazard inducer – Silver Chloride)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hazard inducer – Silver Chloride)
Transport document description				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hazard inducer – Silver Chloride), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hazard inducer – Silver Chloride), 9, III, (-) MARINE POLLUTANT	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hazard inducer – Silver Chloride), 9, III,	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hazard inducer – Silver Chloride), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hazard inducer – Silver Chloride), 9, III
14.3. Transport hazard class(es)				
9	9	9	9	9
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

SteriCoat™ Durable Arcylic Matt WB20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.6. Special precautions for user

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Overland transport

Classification code (ADR)

Special provisions (ADR)

Limited quantities (ADR)

Excepted quantities (ADR)

Special packing provisions (ADR)

Mixed packing provisions (ADR)

Transport by sea

ADR

Air transport

ADR

Inland waterway transport

ADR

Rail transport

ADR

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorisation - Substances of very high concern.

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

Not applicable.

Other EU regulations

This product is not controlled under the Seveso III Directive.

National regulations

15.1.2. National regulations

Germany

- Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)
- Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to VwVwS, Annex 3; ID No. 6516)
- Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

- SZW-lijst van kankerverwekkende stoffen : Ethanol listed.
- SZW-lijst van mutagene stoffen : The substance is not listed
- NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : Ethanol listed.
- NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : Ethanol listed.

SteriCoat™ Durable Arcylic Matt WB20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

NIET-limitatieve lijst van voor de voortplanting : Ethanol listed.
giftige stoffen – Ontwikkeling

15.2. Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Abbreviations and acronyms:	
SDS	Safety Data Sheet
CAS	CAS - Chemical Abstracts Service
GHS	GHS - Globally Harmonised System
CSR	CSR - Chemical Safety Report
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
PVC	PVC (Polyvinyl chloride).
PNEC	Predicted No-Effect Concentration
PBT	Persistent Bioaccumulative Toxic
vPvB	Very Persistent and Very Bioaccumulative
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

Sources of Key data : Supplier information.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.