

# Stericoat™ Floor Paint HF20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Issue date: 8/29/2020 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Stericoat Floor Paint HF20  
Product Identity : Hygiene paint  
Product code : 300:600: 1 Pack PU Floorcoat  
For colours NOT containing lead chromate pigmentation.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Restricted to industrial and professional application only.

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Chem X Ltd  
Godfrey Suite, St Margarets, Leeds Old Road, Bradford, West Yorkshire, BD3 8JXB  
United Kingdom  
Phone- Number: + 44 (0) 333 3355499  
e-mail: info@chem-x.uk

#### 1.4. Emergency telephone number

Emergency number : + 44 (0) 333 3355499  
Only available during office hours.  
9:00 - 17:00

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable Liquids, Category 3 : H226 Flammable liquid and vapour.  
Eye Irritation, Category 2 : H319 Causes serious eye irritation.  
Specific Target Organ Toxicity, Single Exposure, Category 3 : H336 May cause drowsiness or dizziness.  
Reproductive Toxicity, Category 1B : H360Df May damage the unborn child. Suspected of damaging fertility.  
Specific Target Organ Toxicity, Single Exposure, Repeated Exposure, Category 1 : H319 Causes serious eye irritation.  
H372 Causes damage to organs through prolonged or repeated exposure.  
Chronic Aquatic Toxicity, Category 2 : H411 Toxic to aquatic life with long lasting effects.

##### Adverse physicochemical, human health and environmental effects

No data available.

# Stericoat™ Floor Paint HF20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



Signal word : Danger

Signal word : Warning

Hazard statements : None: H226 Flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H360Df May damage the unborn child. Suspected of damaging fertility.  
H372 Causes damage to organs through prolonged or repeated exposure.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P264 – Wash hands, forearms and face thoroughly after handling  
P280 Wear protective gloves, protective clothing, eye protection and face protection.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P370+P378 In case of fire: Use alcohol-resistant foam to extinguish.  
P403+P235 Store in a well-ventilated place. Keep cool.

Supplemental hazard

Information : EUH066 Repeated exposure may cause skin dryness or cracking.  
EUH208 Contains cobalt bis(2-ethylhexanoate), 2- butanone oxime. May produce an allergic reaction.

General : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. Do not get in eyes, on skin, or on clothing. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. Dispose of contents and container in accordance with all local, regional, national and international regulations.

### 2.3. Other hazards

#### Results of PBT and vPvB assessment

PBT : Not applicable  
vPvB : Not applicable

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

# Stericoat™ Floor Paint HF20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2. Mixtures			
Name	Product identifier	%	Regulation (EC) No. 1272/2008 [CLP] & REACH Registration Number
REACTION MASS SILVER CHLORIDE WITH TITANIUM DIOXIDE		10-20	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Docusate sodium	(CAS-No.) 577-11-7 (EC-No.) 209-406-4	5-10	Skin Irrit. 2, H315 Eye Dam. 1, H318
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6	1-3	Flam. Liq. 3, H226
Low Aromatic White Spirit	(CAS-No.) 64742-48-9 (EC-No.) 919-857-5	25-50	01-2119463258-33 H226, H304, H336
White Spirit	(CAS-No.) N/A (EC-No.) 919-446-0	10-25	01-2119458049-33 H226, H304, H336, H372, H411
naphtha (petroleum), hydrotreated heavy (D40)	(CAS-No.) 64742-48-9 (EC-No.) 265-150-3	1-2.5	01-2119463258-33 H226, H304, H336
xylene	(CAS-No.) 1330-20-7 (EC-No.) 215-535-7	1-2.5	01-2119488216-32 H226, H304, H312, H315, H319, H332, H335, H373
2-methoxy-1-methylethyl acetate	(CAS-No.) 108-65-6 (EC-No.) 203-603-9	1-2.5	01-2119475791-29 H226
2-ethylhexanoic acid, zirconium salt	(CAS-No.) 22464-99-9 (EC-No.) 245-018-1	0.1-1	01-2119979088-21 H361d
hydrocarbons, c9, aromatics	(CAS-No.) N/A (EC-No.) 918-668-5	0.1-1	01-2119455851-35 H226, H304, H335, H336, H411
calcium; trimethylhexanoat	(CAS-No.) 64216-15-5 (EC-No.) 264-731-9	0.1-1	01-2119978299-15 H302, H319
2-butanone oxime	(CAS-No.) 96-29-7 (EC-No.) 202-496-6	0.1-1	01-2119539477-28 H312, H317, H318, H351
cobalt bis(2-ethylhexanoate)	(CAS-No.) 136-52-7 (EC-No.) 205-250-6	0.1-1	01-2009524678-29 H317, H319, H360F, H400, H412
ethylbenzene	(CAS-No.) 100-41-4 (EC-No.) 202-849-4	<0.3	01-2119489370-35 H225, H304, H332, H373
solvent naphtha (petroleum), light aromatic	(CAS-No.) 64742-95-6 (EC-No.) 265-199-0	0.1-1.0	H226, H304, H335, H336, H411
n-butyl acetate	(CAS-No.) 123-86-4 (EC-No.) 265-199-0	0.1-1.0	H226, H336
1-methoxy-2-propanol	(CAS-No.) 107-98-2 (EC-No.) 203-539-12	0.1-1.0	H226, H336

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- General notes : In all cases of doubt, or when symptoms persist, seek medical attention.  
Never give anything by mouth to an unconscious person.  
If unconscious place in recovery position and seek medical advice.
- If inhaled : Remove to fresh air, keep patient warm and at rest.  
If breathing is irregular or stopped, administer artificial respiration.

# Stericoat™ Floor Paint HF20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

In case of skin contact	: Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners
In case of eye contact	: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
If swallowed	: If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest.
Self-protection of the first aider	: Do NOT induce vomiting. None.

### 4.2. Most important symptoms and effects, both acute and delayed

None.

### 4.3. Indication of any immediate medical attention and special treatment needed

None.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Alcohol resistant foam, CO2, powders and water spray/mist.
Unsuitable extinguishing media	: Water jet

### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	: Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. Appropriate breathing apparatus may be required.
-------------------------------	---

### 5.3. Advice for firefighters

Cool closed containers exposed to fire with water. Do not allow run-off from fire fighting to enter drains or watercourses.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Exclude sources of ignition and ventilate the area. Avoid breathing vapours. Refer to protective measures listed in Sections 7 and 8.
------------------	---

#### 6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.
----------------------	--

#### 6.1.2. For emergency responders

Protective equipment	: In case of fire: Wear self-contained breathing apparatus. Wear suitable protective clothing. Wear recommended personal protective equipment. Refer to section 8.
----------------------	---

### 6.2. Environmental precautions

Do not allow to enter drains or watercourses. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see Section 13).

Clean preferably with a detergent - avoid use of solvents.

# Stericoat™ Floor Paint HF20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 6.4. Reference to other sections

None.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	: Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. In addition, the product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Electrical equipment should be protected to the appropriate standard. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another. Operators should wear anti-static footwear and clothing and floors should be of the conducting type. Isolate from sources of heat, sparks and open flame. No sparking tools should be used Avoid skin and eye contact. Avoid the inhalation of dust, particulates and spray mist arising from the application of this mixture. Avoid inhalation of dust from sanding. Smoking, eating and drinking should be prohibited in application area. For personal protection see Section 8. Never use pressure to empty: container is not a pressure vessel. Always keep in containers of same material as the original one. Comply with the health and safety at work laws. Do not allow to enter drains or watercourses.
Advice on protection against fire and explosion	: Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	: Store in accordance with the Dangerous Substances and Explosive Atmospheres Regulations, 2002, (DSEAR). The requirements are given in the HSE Approved Code of Practice and Guidance, Storage of Dangerous Substances: DSEAR.
Notes on joint storage	: Store away from oxidising agents, from strongly alkaline and strongly acid materials.
Additional information on storage conditions	: Observe label precautions. Store between 5°C and 25°C in a dry, well ventilated place away from sources of heat and direct sunlight. Keep container tightly closed. Keep away from sources of ignition. No smoking. Prevent unauthorised access. Containers which are opened must be carefully resealed and kept upright to prevent leakage. The principles contained in the HSE guidance note, Chemical Warehousing: The Storage of Packaged Dangerous Substances, should be observed when storing this product.

### 7.3. Specific end use(s)

None.

# Stericoat™ Floor Paint HF20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 8 : Exposure controls/personal protection

#### 8.1. Control parameters

Limits for occupational exposure and/or biological limit values.

Chemical name	Physical state	LTEL - 8hr TWA		STEL - 15min		Notes
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	
Low Aromatic White Spirit			1200	150		
White Spirit			350			
naphtha (petroleum), hydrotreated heavy (D40)			350			
xylene		50	220	100	441	Sk, BMGV
2-methoxy-1-methylethyl acetate		50	274	100	548	Sk
2-ethylhexanoic acid, zirconium salt	As Zr		5		10	NASOSH (Ire)
hydrocarbons, c9, aromatics			100			
2-butanone oxime		3	10	10	33	NASOSH (Ire)
cobalt bis(2-ethylhexanoate)	as Co		0.1			Sen
ethylbenzene		100	441	125	552	Sk
n-butyl acetate		150	724	200	966	
1-methoxy-2-propanol		100	375	150	560	Sk

#### Workplace exposure limits

Contains no substances with occupational exposure limit values.

#### DNEL/ PNEC Values

##### Hazardous ingredients:

None present

TYPE	EXPOSURE	VALUE	POPULATION	EFFECT

#### 8.2. Exposure controls

General advice

: Provide adequate ventilation.

Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

# Stericoat™ Floor Paint HF20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Materials for protective clothing:

Long sleeved anti static protective clothing, made of natural fibre or high temperature resistant synthetic material.

### Hand protection:

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

For prolonged or repeated handling, use Polyvinyl Alcohol (PVA) or Viton Rubber (FluorRubber).

The breakthrough time must be greater than the end use time of the product.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Always ensure that gloves are free from defects and that they are stored and used correctly.

The performance or effectiveness of the glove may be reduced by physical/chemical damage and poor maintenance.

Barrier creams may help to protect the exposed areas of the skin, they should however not be applied once exposure has occurred.

### Eye protection:

Use safety eyewear designed to protect against splash of liquids.

### Skin and body protection:

Personnel should wear anti-static clothing made of natural fibre or of high temperature resistant synthetic fibre.

### Respiratory protection.

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators.

### Personal protective equipment symbol(s):



### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke during use. Wash hands and face before breaks and immediately after handling of the product. Remove contaminated clothes.

## 8.2.3 Environmental exposure controls

General advice : Do not allow to enter drains or watercourses.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Various
Odour	: Characteristic. Pungent.
Odour threshold -Lower	: Not determined.
-Higher	Not determined.
pH	: Not determined.

# Stericoat™ Floor Paint HF20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Relative evaporation rate (butylacetate=1)	: 65 (EtEt=1)
Melting point	: Not determined.
Freezing point	: Not determined.
Boiling point	: 150-200 760 mmHg
Flash point	: 36
Auto-ignition temperature	: >230
Decomposition temperature	: Not determined.
Flammability (solid, gas) -Lower	: 0.7
-Higher	: 7
Vapour pressure	: <5 hPa 20.0
Relative vapour density at 20 °C	: Heavier than air.
Relative density	: 0.90-1.18
Solubility	: Miscible with organic solvents.
Partition coefficient n-octanol/water (Log Pow)	: Not determined.
Viscosity, kinematic	: ~3.0 poise.
Explosive properties	: May form explosive mixtures with air.
Oxidising properties	: Not determined.

### 9.2. Other information

None.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

Stable under recommended storage and handling conditions. (See Section 7).

### 10.3. Possibility of hazardous reactions

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

### 10.4. Conditions to avoid

When exposed to high temperatures may produce hazardous decomposition products.

### 10.5. Incompatible materials

No data available.

### 10.6. Hazardous decomposition products

Carbon monoxide and dioxide, smoke, oxides of nitrogen.

## SECTION 11: Toxicological information

There are no data available on the mixture itself. The mixture has been assessed following the conventional method of the Classification, Labelling and Packaging of Substances and Mixtures Regulation (EC) No. 1272/2008, (CLP) and classified for toxicological hazards accordingly.



# Stericoat™ Floor Paint HF20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 11.1. Information on toxicological effects

Exposure to component solvents vapours concentration in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system.

Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Solvents may cause some of the above effects by absorption through the skin.

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

The liquid splashed in the eyes may cause irritation and reversible damage.

Ingestion may cause nausea, diarrhoea and vomiting.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact

## SECTION 12: Ecological information

There are no data available on the mixture itself.

Do not allow to enter drains or watercourses.

### 12.1. Toxicity

No data available.

### 12.2. Persistence and degradability

Persistence and degradability	No data available.
-------------------------------	--------------------

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

No data available.
--------------------

### 12.6. Other adverse effects

No data available

# Stericoat™ Floor Paint HF20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Do not allow to enter drains or watercourses.

The European List of Waste classification of this product, when disposed of as waste, is

**Waste Code: Name of Waste (according to Commission Decision 2000/532/EC):**

08 01 11\* Waste paint and varnish containing organic solvents or other dangerous substances.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information contact your local waste authority.

Using information provided in this safety data sheet, advice should be obtained from the local waste authority on the classification of empty containers.

Empty containers must be scrapped or reconditioned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
UN3082	UN3082	UN3082	UN3082	UN3082
<b>14.2. UN proper shipping name</b>				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hazard inducer – Silver Chloride)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hazard inducer – Silver Chloride)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hazard inducer – Silver Chloride)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hazard inducer – Silver Chloride)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hazard inducer – Silver Chloride)
<b>Transport document description</b>				
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hazard inducer – Silver Chloride), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hazard inducer – Silver Chloride), 9, III, (-) MARINE POLLUTANT	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hazard inducer – Silver Chloride), 9, III,	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hazard inducer – Silver Chloride), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Hazard inducer – Silver Chloride), 9, III
<b>14.3. Transport hazard class(es)</b>				
9	9	9	9	9
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

# Stericoat™ Floor Paint HF20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 14.6. Special precautions for user

ADR Tunnel Restriction Code : (D/E)  
IMDG EmS : F-E, S-E  
IMDG Stowage Category : A

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

- Registration, Evaluation, Authorisation and Restriction of Chemicals, Regulation (EC) No. 1907/2006, (REACH).
- Classification, Labelling and Packaging of substances and mixtures, Regulation (EC) No. 1272/2008, (CLP).
- The Dangerous Substances and Explosive Atmospheres Regulations, 2002, (DSEAR).
- The Control of Substances Hazardous to Health Regulations, 2002, (COSHH).
- The Health and Safety at Work etc Act, 1974, (HSWA).

Approved Codes of Practice and Guidance notes relevant to this Safety Data Sheet :

- The European Chemicals Agency (ECHA) Guidance on the compilation of safety data sheets, Version 2.1.
- CEPE Guideline for Safety Data Sheets, 9th Edition.
- HSE Approved Code of Practice and Guidance, Dangerous Substances and Explosive Atmospheres.
- HSE guidance note, Chemical Warehousing: The Storage of Packaged Dangerous Substances.
- HSE publication, EH40/2005 Workplace exposure limits.

#### 15.1.2. National regulations

##### Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)  
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)  
Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to VwVwS, Annex 3; ID No. 6516)  
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : Ethanol listed.  
SZW-lijst van mutagene stoffen : The substance is not listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : Ethanol listed.  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : Ethanol listed.  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : Ethanol listed.

### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

# Stericoat™ Floor Paint HF20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 16: Other information

Abbreviations and acronyms:	
SDS	Safety Data Sheet
CAS	CAS - Chemical Abstracts Service
GHS	GHS - Globally Harmonised System
CSR	CSR - Chemical Safety Report
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
PVC	PVC (Polyvinyl chloride).
PNEC	Predicted No-Effect Concentration
PBT	Persistent Bioaccumulative Toxic
vPvB	Very Persistent and Very Bioaccumulative
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

Sources of Key data : Supplier information.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.